



CANNON BUILDING
861 SILVER LAKE BLVD., SUITE 203
DOVER, DELAWARE 19904-2467

STATE OF DELAWARE
DEPARTMENT OF STATE
DIVISION OF PROFESSIONAL REGULATION

TELEPHONE: (302) 744-4500
FAX: (302) 739-2711
WEBSITE: WWW.DPR.DELAWARE.GOV

PUBLIC MEETING NOTICE:	BOARD OF PODIATRY
MEETING DATE AND TIME:	Thursday, April 17, 2014 at 5:00 p.m.
PLACE:	861 Silver Lake Boulevard, Dover, Delaware Cannon Building, Second Floor- Conference Room B

AGENDA
(Amended Items are noted by an asterisk*)

- 1.0 Call to Order
- 2.0 Review and Approval of Minutes
 - 2.1 Meeting Minutes – February 20, 2014
- 3.0 Old Business
 - 3.1 Update on Preceptorship Program
- 4.0 New Business*
 - 4.1 Review Memo from David Mangler on Division's New Complaint Assignment Policy
 - 4.2 Review Suggested Regulation Changes
 - 4.3 Applications for Board Review
 - 4.3.1 Peter Fazio – Reciprocity*
 - 4.4 Ratification of New Licensees – None
 - 4.5 Continuing Education Applications
 - 4.5.1 Rene A. Peterson, DPM – CME Resource
"What Healthcare Professionals Should Know About Exercise" – 5 CE
- 5.0 Other Business before the Board (For Discussion Only)
- 6.0 Public Comment
- 7.0 Next Meeting Date – Thursday, July 17, 2014 at 5pm in Conference Room B
- 8.0 Adjournment

Please Note: Applications for this agenda must be complete and received by 4:30 p.m. ten business days prior to the meeting date; thus a final amended agenda will be published to reflect any items received after posting of the original agenda. Unforeseen circumstances may result in a meeting being cancelled should there be a lack of a quorum.

Pursuant to 29 Delaware Code, Section 10004(e)(2), the Board shall pre-announce or pre-publish all Executive Sessions; however, such agenda shall be subject to change to include additional items including Executive Sessions which arise at the time of the body's

meeting. BOARD MEMBERS: PLEASE CALL THE OFFICE OF THE DELAWARE BOARD OF PODIATRY AT 302-744-4500 OR EMAIL customerservice.dpr@state.de.us IMMEDIATELY IF YOU CANNOT ATTEND THE MEETING. THANK YOU.